

# Stainless Steel Washroom Accessories



**Bobrick Washroom Equipment**



BUILDING VALUE SINCE 1906

## THREE STAINLESS STEEL WASHROOM ACCESSORY SERIES



### CONTURA™ SERIES

Surface and recessed mounted models feature gentle arcs, subtle radiuses with design-echoed flange and corner treatments, complementary reveals, unidirectional grain, seamless monoform draws, and flush-mounted tumbler locks.



### TRIMLINE™ SERIES

Recessed accessories provide a clean, flush, architectural appearance where a Bauhaus design statement is desired. Specify Contura and TrimLine for corporate headquarters, and upscale healthcare, retail, and hospitality properties.



### CLASSIC™ SERIES

Recessed cabinets feature the “Classic” flange design. Both recessed and surface-mounted models meet the pricing requirements for tight budget commercial, retail, hospitality, institutional, industrial, and educational washrooms.

#### BARRIER-FREE ACCESS

Bobrick offers a wide range of products used in washrooms for disabled persons. The engineering and manufacturing of grab bars and shower seats, and the operation of dispensers and disposals meets accessibility code requirements in the US and many other countries. The mounting height of all models can be specified to comply with your local barrier-free standards.

#### QUALITY

Bobrick washroom accessories are made from type-304 stainless steel...the material of quality and choice for public restrooms. Bobrick accessories will last the life of your building, never need refinishing, offer the maximum in corrosion resistance, and complement the widest range of interior styling.

#### VALUES YOU FIND ONLY WITH BOBRICK

With Bobrick you can specify to aesthetic design, barrier-free requirements and/or price point. Select from three design integrated series of washroom accessories. Hundreds of our models are available to ship within 2 days from one of six global distribution centers. Bobrick remains committed to our reputation for responsive factory and field service...since 1906.

## TABLE OF CONTENTS

## INDEX BY PRODUCT SERIES

<b>BATHROOM ACCESSORIES</b>	<b>22-27</b>
Ash Trays	
Bar Soap Holders	
Clothes Lines	
Door Bumper	
Facial Tissue Dispensers	
Hooks	
Medicine Cabinets	
Shelves	
Shower Curtains	
Shower Curtain Hooks	
Shower Curtain Rods	
Shower Seats	
Soap Dishes	
Toilet Brush Holder	
Towel Rods	
<b>CHILD ACCOMMODATION PRODUCTS</b>	<b>30</b>
Koala Kare™ Baby Changing Stations	
Koala Kare™ Bed Liners	
Koala Kare™ Child Protection Seat	
<b>COMBINATION TOWEL/WASTE UNITS</b>	<b>4-6</b>
<b>GRAB BARS</b>	<b>18-19</b>
<b>MIRRORS</b>	<b>20-21</b>
<b>PAPER TOWEL DISPENSERS</b>	<b>10-11</b>
<b>SANITARY NAPKIN DISPOSALS</b>	<b>16-17</b>
<b>SOAP DISPENSERS</b>	<b>7-9</b>
<b>TOILET TISSUE DISPENSERS</b>	<b>14-15</b>
<b>WARM-AIR HAND DRYERS</b>	<b>28-29</b>
<b>WASTE RECEPTACLES</b>	<b>12-13</b>
<b>WARRANTIES</b>	<b>31</b>

<b>CONTURA</b>		<b>TRIMLINE</b>		<b>CLASSIC</b>			
MODEL NO.	PAGE. NO.	MODEL NO.	PAGE. NO.	MODEL NO.	PAGE. NO.	MODEL NO.	PAGE. NO.
B-270	16	B-306	8	B-132	8	B-2860	11
B-277	12	B-318	10	B-155	9	B-2888	14
B-4063	8	B-3513	16	B-207	25	B-353	17
B-4112	8	B-35303	16	B-2111	8	B-354	17
B-4262	10	B-35903	10	B-2112	8	B-359	11
B-4288	14	B-36903	5	B-2250	13	B-369	6
B-4353	16	B-3803	5	B-254	16	B-3644	12
B-4354	16	B-38032	5	B-261	13	B-3699	6
B-4362	10	B-38033	5	B-262	10	B-3888	14
B-43644	12	B-38034	5	B-2621	11	B-3900	6
B-4369	4	B-380349	5	B-263	11	B-3944	6
B-43699	4	B-39003	5	B-272	14	B-3949	6
B-4388	14	B-526	10	B-2721	14	B-3961	6
B-43944	4	B-527	12	B-273	14	B-39619	6
B-43949	4	B-529	12	B-2730	14	B-40	9
B-822	7	815969	5	B-274	14	B-6047	25
B-8221	7			B-2740	14	B-6107	25
B-8226	7			B-275	13		
B-82216	7			B-279	12		
B-922	7						
B-9226	7						

### THREE WAYS TO GET BOBRICK TECHNICAL DATA SHEETS:

1. Check the inside front cover of your Bobrick Binder for a Technical Data CD.
2. Contact your local Bobrick Representative.
3. Go to [www.bobrick.com](http://www.bobrick.com).

## INDEX BY MODEL NUMBER

MODEL NO.	PAGE. NO.	B-2721	14	B-36903	5	B-4390	23	B-674	23	B-748	28
		B-273	14	B-3699	6	B-43944	4	B-6747	23	B-750	29
KB100-00	30	B-2730	14	B-3803	5	B-43949	4	B-676	22	B-7636	25
KB101-00	30	B-274	14	B-38032	5	B-4998	19	B-677	24	B-7671	23
KB102-00	30	B-2740	14	3803-100	5	B-4998.99	19	B-6777	24	B-76717	23
KB110-SSRE	30	B-275	13	B-38033	5	B-5181	26	B-680	23	B-7672	24
KB110-SSWM	30	B-277	12	B-38034	5	B-5191	26	B-6806	18	B-76727	24
B-132	8	B-279	12	B-380349	5	B-526	10	B-6806.99	18	B-7673	22
KB150-99	30	B-280 Series	20	B-3888	14	B-527	12	B-6807	23	B-76737	22
B-155	9	B-2808 Series	20	B-3900	6	B-529	12	B-681	23	B-7674	23
B-165 Series	21	B-2860	11	B-39003	5	B-5806	19	B-68137	18	B-76747	23
B-166 Series	21	B-287	26	B-3944	6	B-5806.99	19	B-68137.99	18	B-7676	22
204-1	25	B-2888	14	B-3949	6	B-5845	19	B-682	24	B-76767	22
204-2	25	B-2890	15	B-3961	6	B-5855	19	B-6827	24	B-7680	23
204-3	25	B-2892	15	B-39619	6	B-58616	19	B-683	22	B-76807	23
B-207	25	B-290 Series	20	B-397	27	B-58616.99	19	B-685	15	B-7681	23
B-211	24	B-293 Series	21	B-398	27	B-5891	26	B-6857	15	B-7682	24
B-2111	8	B-294 Series	21	B-40	9	B-5891.99	26	B-686	15	B-76827	24
2111-79	9	B-297	27	B-4063	8	B-6047	25	B-68616	18	B-7685	15
B-2112	8	B-299	27	B-4112	8	B-6107	25	B-68616.99	18	B-76857	15
B-2116	24	B-306	8	4112-79	9	B-636	25	B-6867	15	B-7686	15
B-212	24	B-318	10	B-4262	10	B-6699	15	B-687	26	B-76867	15
B-2250	13	B-3513	16	B-4288	14	B-66997	15	B-699	15	805355	27
B-233	24	B-353	17	B-4353	16	B-670	23	B-6997	15	815969	5
B-240	26	B-35303	16	B-4354	16	B-6707	23	B-6999	15	B-822	7
B-254	16	B-354	17	B-4362	10	B-671	23	B-69997	15	B-8221	7
B-261	13	B-3541	17	B-43644	12	B-6717	23	B-700	28	B-82216	7
B-262	10	B-355	27	B-4369	4	B-672	24	B-705/E	29	B-8226	7
B-2621	11	B-359	11	B-43699	4	B-6727	24	B-709	29	B-8397	27
B-263	11	B-35903	10	B-4380	23	B-673	22	B-710/E	29	B-8601	9
B-270	16	B-3644	12	B-4388	14	B-6737	22	B-715/E	28	B-922	7
B-272	14	B-369	6					B-740	28	B-9226	7

# COMBINATION TOWEL/WASTE UNITS



## CONTURA SERIES

### B-43944 RECESSED PAPER TOWEL DISPENSER/WASTE RECEPTACLE

Satin-finish stainless steel. Flush tumbler lock. Dispenses 600 C-fold or 800 multifold towels. Waste receptacle has 16.0-gal. (60.6-L) capacity. Removable front panel for easy cleaning. Clips secure furnished reusable vinyl liner. Patented.

**B-43949** Similar to B-43944, but with stainless steel skirt for surface mounting. Patented.

Model No.	Unit				Wall Opening	
	B-43944		B-43949		B-43944	
	Inches	mm	Inches	mm	Inches	mm
Width	17 7/16	445	17 9/16	445	16	405
Height	56 1/4	1430	56 3/8	1430	54 3/4	1390
Recess	3 15/16	100	N/A		4	102
Projection	5 1/8	130	9 1/8	230	N/A	
Typical Mtg. Ht.	67-74	1700-1880	67-74	1700-1880	66-73	1675-1855
Barrier-Free Mtg. Ht.	61 1/4	1555	61 1/4	1555	60 1/4	1530



## CONTURA SERIES

### B-4369 RECESSED PAPER TOWEL DISPENSER/WASTE RECEPTACLE

Satin-finish stainless steel. Flush tumbler lock. Dispenses 350 C-fold or 475 multifold towels. Waste receptacle has 3.0-gal. (11.4-L) capacity. Removable front panel for easy cleaning. Clips secure furnished reusable vinyl liner. Patented.

**B-43699** Similar to B-4369, but with stainless steel skirt for surface mounting. Patented.

Model No.	Unit				Wall Opening	
	B-4369		B-43699		B-4369	
	Inches	mm	Inches	mm	Inches	mm
Width	12 3/4	325	12 7/8	325	11 3/8	290
Height	28	710	28 1/8	715	26 5/8	675
Recess	3 15/16	100	N/A		4	102
Projection	2 5/8	68	6 5/8	170	N/A	
Typical Mounting Height	71	1805	71	1805	70	1780
Barrier-Free Mounting Height	52 3/4	1340	52 3/4	1340	51 3/4	1315



# COMBINATION TOWEL/WASTE UNITS



## TRIMLINE SERIES

### B-3803 RECESSED PAPER TOWEL DISPENSER/WASTE RECEPTACLE

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold, 800 multifold or 1100 single-fold towels. Removable, leak-proof, 6.3-gal. (24-L) waste container.

**B-38032** Similar to B-3803, but with 4" (102mm) stainless steel skirt for semi-recessing.

**NEW**  
**3803-100 CONVERSION KIT**  
Adds cover to waste receptacle on models B-3803 and B-3802 only.

**B-38034** Similar to B-3803, but only dispenses C-fold and multifold towels. Waste capacity: 3.8-gal. (14.4-L).

**B-380349** Similar to B-38034, but with stainless steel skirt for surface mounting.

Model No.	Unit				Wall Opening			
	B-3803		B-38034		B-3803		B-38034	
	Inches	mm	Inches	mm	Inches	mm	Inches	mm
Width	13	330	13	330	11 ½	290	11 ½	290
Height	55 ½	1400	55 ½	1400	53 ¾	1360	53 ¾	1360
Recess	5 ¾	140	3 ¾	90	5 ¾	145	3 ¾	95
Projection	¾	14	¾	14	N/A		N/A	
Typical Mtg. Ht.	67-74	1700-1880	67-74	1700-1880	66-73	1675-1855	66-73	1675-1855
Barrier-Free Mtg. Ht.	60 ¾	1545	60 ¾	1545	59 ¾	1520	59 ¾	1520



## TRIMLINE SERIES

### B-39003 RECESSED PAPER TOWEL DISPENSER/WASTE RECEPTACLE

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold, 800 multifold or 1100 single-fold towels. Removable leak-proof, 12-gal. (45.4-L) waste container.

B-39003	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	17 ¾	435	16	405
Height	56	1420	54 ¾	1390
Recess	7 ¾	195	7 ¾	200
Projection	¾	14	N/A	
Typical Mtg. Ht.	67-74	1700-1880	66-73	1675-1855
Barrier-Free Mtg. Ht.	60 ½	1535	59 ½	1510



## TRIMLINE SERIES

### B-38033 RECESSED PAPER TOWEL/AUTOMATIC HAND DRYER/WASTE RECEPTACLE

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 450 C-fold, 600 multifold or 850 single-fold towels. Removable leak-proof, 3.3-gal. (12.5-L) waste container. Hand dryer: 220-240V AC, 7.7 Amp., 1500-1700 Watts, 50/60 Hz, Single Phase, VDE Approved.

**815969** Similar to B-38033, but unit is narrower and taller.

Model No.	Unit				Wall Opening			
	B-38033		815969		B-38033		815969	
	Inches	mm	Inches	mm	Inches	mm	Inches	mm
Width	15 ½	385	13	330	13 ¾	350	11 ½	290
Height	55 ¾	1415	72	1830	54 ¾	1380	70 ¾	1795
Recess	5 ¾	140	5 ¾	145	5 ¾	145	5 ¾	145
Projection	¾	14	¾	14	N/A		N/A	
Typical Mtg. Ht.	76-86	1930-2185	80-90	2080-2260	75-85	1905-2160	79-89	2005-2260
Barrier-Free Mtg. Ht.	60 ¾	1545	68 ½	1740	59 ¾	1520	67 ½	1740



## TRIMLINE SERIES

### B-36903 RECESSED PAPER TOWEL DISPENSER/WASTE RECEPTACLE

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 300 C-fold or 400 multifold towels. Removable, leak-proof, 1.6-gal. (6.1-L) waste container.

B-36903	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	13	330	11 ½	290
Height	31 ½	790	29 ½	750
Recess	3 ¾	90	3 ¾	95
Projection	¾	14	N/A	
Typical Mtg. Ht.	69	1755	68	1725
Barrier-Free Mtg. Ht.	51	1295	50	1270



# COMBINATION TOWEL/WASTE UNITS



## CLASSIC SERIES

### B-3944 RECESSED PAPER TOWEL DISPENSER/WASTE RECEPTACLE

Satin-finish stainless steel. Seamless beveled flange. Dispenses 600 C-fold or 800 multifold towels. Removable waste receptacle is locked into cabinet. Receptacle is 8" (205mm) deep with capacity of 12-gal. (45.4-L).

**B-3949** Similar to B-3944, but with a stainless steel skirt for surface mounting.

Model No.	Unit				Wall Opening	
	B-3944		B-3949		B-3944	
	Inches	mm	Inches	mm	Inches	mm
Width	17 3/16	435	17 7/16	445	16	405
Height	56	1420	56 1/4	1430	54 3/4	1390
Recess	4	102	N/A		4	102
Projection	4 5/16	110	8 1/16	205	N/A	
Typical Mounting Height	67-74	1700-1880	67-74	1700-1880	66-73	1675-1855
Barrier-Free Mounting Height	60 1/2	1535	60 1/2	1535	59 1/2	1510



## CLASSIC SERIES

### B-3900 RECESSED PAPER TOWEL DISPENSER/WASTE RECEPTACLE

Satin-finish stainless steel. Seamless beveled flange. Dispenses 600 C-fold, 800 multifold or 1100 singlefold towels. Removable waste receptacle is locked into cabinet. Receptacle is 8" (205mm) deep with capacity of 12-gal. (45.4-L).

B-3900	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	17 3/16	435	16	405
Height	56	1420	54 3/4	1390
Recess	7 1/16	190	7 5/8	195
Projection	1/2	13	N/A	
Typical Mounting Height	67-74	1700-1880	66-73	1675-1855
Barrier-Free Mounting Height	60 1/2	1535	59 1/2	1510



## CLASSIC SERIES

### B-369 RECESSED PAPER TOWEL DISPENSER/WASTE RECEPTACLE

Satin-finish stainless steel. Seamless beveled flange. Dispenses 350 C-fold or 475 multifold towels. Knob-latch retains door. Removable waste container has 2-gal. (7.6-L) capacity.

**B-3699** Similar to B-369, but with stainless steel skirt for surface mounting.

Model No.	Unit				Wall Opening	
	B-369		B-3699		B-369	
	Inches	mm	Inches	mm	Inches	mm
Width	14	355	14 1/4	360	12 5/8	320
Height	28	710	28 5/16	720	26 5/8	675
Recess	3 15/16	100	N/A		4	102
Projection	3/16	5	4 1/4	110	N/A	
Typical Mounting Height	74	1880	71	1805	73	1855
Barrier-Free Mounting Height	51 1/2	1310	51 1/2	1310	50 1/2	1285



## NEW CLASSIC SERIES

### B-3961 RECESSED ROLL PAPER TOWEL DISPENSER/WASTE RECEPTACLE

Satin-finish stainless steel. Seamless beveled flange. Lever-less pull towel mechanism dispenses 12" (305mm) length of economical, non-perforated, universal roll paper towels. Accepts standard-core rolls up to 8" (205mm) wide, 8" (205mm) diameter. Dispenses one 12" (300mm) length of towel per pull. Accommodates up to 3 1/2" (90mm) diameter stub roll with automatic transfer to full roll. Pull force to operate 1.8 lbs (8.0N). Door has tumbler lock and piano-hinge. Removable, 12-gal. (45.4-L) receptacle locks into cabinet.

**B-39619** Similar to B-3961, but with stainless steel skirt for surface mounting.

Model No.	Unit				Wall Opening	
	B-3961		B-39619		B-3961	
	Inches	mm	Inches	mm	Inches	mm
Width	17 3/16	435	17 1/2	445	16	405
Height	56	1420	56 5/16	1430	54 3/4	1390
Recess	3 15/16	100	N/A		4	102
Projection	5 1/8	130	9 1/4	235	N/A	
Typical Mounting Height	60 1/2	1535	60 1/2	1535	59 1/2	1510

# SOAP DISPENSERS

## CONTURA SERIES

### B-822 SERIES LAVATORY-MOUNTED SOAP DISPENSER



**B-822**



**B-8221**



**B-82216**



**B-8226**



### TOP-FILLING BASIN MOUNTED SOAP DISPENSERS

- For ease of maintenance and labor savings.
- Vandal-resistant locking cover and free-turning spout.
- Corrosion-resistant.
- Bright polished spout, cover and escutcheon.
- High-impact-resistant ABS body and shank.
- Shatter-resistant polyethylene container.
- Patented design.

#### SOAP REQUIREMENTS

All Bobrick B-822 Series Soap Dispensers are designed to dispense commercially marketed all-purpose hand soaps including liquid and lotion soaps, synthetic detergents, and antibacterial soaps containing PCMX and/or Triclosan. Bobrick soap dispensers are not designed to dispense alcohol-based hand sanitizers or iodine-based surgical soaps.

#### SPECIAL DIMENSIONAL NOTE

1. Mount through 1" (25mm) diameter hole in lavatory or countertop.
2. Diameter of escutcheon: 2 1/16" (50mm).
3. Maximum height from base of body to bottom of container: 14 5/8" (370mm) for B-822, B-8226; 8 3/4" (210mm) for B-8221, B-82216. Allow clearance below basin for 3 1/2" (90mm) diameter container.
4. Mount so end of spout extends over inner edge of bowl.

#### FOR DISPENSING LIQUID & LOTION SOAPS, AND SYNTHETIC DETERGENTS

Model Number	Capacity	Spout Length	Maximum Mounting Thickness
<b>B-822</b>	34-fl oz (1.0-L)	4" (100mm)	4" (100mm)
<b>B-8221</b>	20-fl oz (0.6-L)	4" (100mm)	1" (25mm)
<b>B-8226</b>	34-fl oz (1.0-L)	6" (150mm)	4" (100mm)
<b>B-82216</b>	20-fl oz (0.6-L)	6" (150mm)	1" (25mm)

## CONTURA SERIES

### B-922 LAVATORY-MOUNTED RESERVOIR SOAP DISPENSER

Model Number	Spout Length
<b>B-922</b>	4" (100mm)
<b>B-9226</b>	6" (150mm)

### UNDER-COUNTER RESERVOIR SOAP SYSTEM

- Eliminates frequent refilling of single soap dispensers, reducing maintenance time and labor costs.
- Large-capacity under-counter reservoir feeds multiple basin-mounted dispensers; check and top-fill from any dispenser.
- Ideal for large, heavy-traffic industrial and public washrooms.
- Features patented B-822 Series soap dispensers with 36" (915mm) long supply tube which can be cut-to-fit in the field.
- Equipped with 10" (255mm) long, translucent plastic elbow for visible soap level and 33" (840mm) flexible connector hose which can be cut-to-fit in the field.
- Specify one unit for each basin; each providing 0.9-gal. (3.3-L) soap capacity, plus capacity of pipe connections.



# SOAP DISPENSERS



## CONTURA SERIES

### B-4112 SURFACE MOUNTED SOAP DISPENSER

Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Container is satin-finish stainless steel. Capacity: 40-fl oz (1.2-L). Soap refill window. Concealed wall fastening. Hinged filler-top requires special key to open. Vandal-resistant. Patented.

B-4112	Unit	
	Inches	mm
Width	7	180
Height	6 1/8	155
Projection Wall to Pushbutton	3 5/16	85
Barrier-Free Mounting Height	49	1245



## CONTURA SERIES

### B-4063 RECESSED SOAP DISPENSER

Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Front of dispenser drawn, 20-gauge (1.0mm), one-piece, satin-finish stainless steel with covered, plastic soap vessel attached to back. Capacity: 50-fl oz (1.5-L). Pulls out for filling and maintenance. Concealed locking device. Vandal resistant. Soap refill window. Patented.

B-4063	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	7 1/4	185	5 7/8	150
Height	6 3/8	160	5 1/2	140
Recess	3 7/8	100	4	102
Projection Wall to Pushbutton	1 5/8	40	N/A	
Barrier-Free Mtg. Ht.	49	1245	48 1/2	1230



## TRIMLINE SERIES

### B-306 RECESSED SOAP DISPENSER

Satin-finish stainless steel. Door has 90° return, conceals flange. Enclosed plastic soap vessel on back of door swings open for easy filling. Full-length hinge and tumbler lock secure door to cabinet. Capacity: 45-fl oz (1.3-L). Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Soap refill window.

B-306	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	9 1/2	240	8 3/8	215
Height	5 1/2	140	4 3/8	110
Recess	3 13/16	95	3 7/8	100
Projection Wall to Pushbutton	3	75	N/A	
Barrier-Free Mtg. Ht.	47 3/4	1215	47	1195



## CLASSIC SERIES

### B-2111 SURFACE MOUNTED SOAP DISPENSER

Vertical tank is satin-finish stainless steel. Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Capacity: 40-fl oz (1.2-L). Soap refill window. Concealed wall fastening. Hinged filler-top requires special key to open. Vandal resistant. Patented.

B-2111	Unit	
	Inches	mm
Width	4 3/4	120
Height	8 1/8	205
Projection Wall to Pushbutton	3 1/2	90
Barrier-Free Mounting Height	50 7/8	1290



## CLASSIC SERIES

### B-2112 SURFACE MOUNTED SOAP DISPENSER

Horizontal tank is satin-finish stainless steel. Corrosion-resistant valve dispenses commercially marketed all-purpose hand soaps. Capacity: 40-fl oz (1.2-L). Soap refill window. Concealed wall fastening. Hinged filler-top requires special key to open. Vandal resistant. Patented.

B-2112	Unit	
	Inches	mm
Width	8 1/8	205
Height	4 3/4	120
Projection Wall to Pushbutton	3 1/2	90
Barrier-Free Mounting Height	47 1/2	1205



## CLASSIC SERIES

### B-132 SURFACE MOUNTED SOAP DISPENSER

Container is satin-finish stainless steel. Capacity: 32-oz (0.9-L). Dispensing mechanism with stainless steel lever dispenses any free-flowing powdered soap. Agitator spring prevents soap build-up. Top opens with special key provided. Concealed wall fastening.

B-132	Unit	
	Inches	mm
Width	4 13/16	120
Height	8 1/8	205
Projection Wall to Lever	3 7/8	100
Barrier-Free Mounting Height	50 5/8	1285



# SOAP DISPENSERS



## CLASSIC SERIES

### B-40 SURFACE MOUNTED SOAP DISPENSER

Two-tone styling in black and grey. Corrosion resistant valve dispenses commercially marketed all-purpose hand soaps. Vandal-resistant lid has unique keyless locking device. Lid pivots up after lock is disengaged for easy top filling. Large-capacity, translucent container provides visible soap level. Capacity: 40-fl oz (1.2-L). Concealed wall fastening. Unit is removable from wall for cleaning. Patented.

	Unit	
	Inches	mm
B-40		
Width	5 13/16	150
Height	6 7/8	175
Projection Wall to Pushbutton	3 3/16	80
Barrier-Free Mounting Height	50	1270



## CLASSIC SERIES

### B-155 SURFACE MOUNTED LIQUIDMATE® SOAP DISPENSER

Bright polished, chrome-plated ABS mounting bracket. Corrosion-resistant valve dispenses thin, free-flowing commercially marketed all-purpose hand soaps. Translucent polyethylene container provides visible soap level. 24-fl oz (0.7-L) capacity.

	Unit	
	Inches	mm
B-155		
Width	4	100
Height	7 5/8	195
Depth	4 1/8	105
Wall to Pushbutton	2 3/4	70
Barrier-Free Mounting Height	50 1/2	1285



### B-8601 PANEL MOUNTED SOAP DISPENSER

Corrosion-resistant valve mounts into 23/32" (18mm) diameter hole through 1 1/4" to 2" (32-51mm) thick panel; projects 3 1/4" (85mm). Dispenser liquid and lotion soaps, and synthetic detergents. Translucent, shatter-resistant polyethylene container mounts on opposite side of panel and feeds soap valve through supply tube. Capacity: 34-fl oz (1.0-L).



### 2111-79 SUREFLO™ RETROFIT SOAP VALVE

For Model B-306. Valve operates with less than 5 lb of force (22.2 N). Patented.



### 4112-79 RETROFIT ALL-PURPOSE SOAP VALVE

Available for Models B-4063, B-4112, B-2111, and B-2112. Field-replaceable corrosion resistant valve dispenses commercially marketed all-purpose hand soaps. Valve operates with less than 5 lb of force (22.2 N). Patented.

# PAPER TOWEL DISPENSERS



## CONTURA SERIES

### B-4262 SURFACE MOUNTED PAPER TOWEL DISPENSER

Satin-finish stainless steel. Top of cabinet equipped with tumbler lock. Door swings down for loading towels. Dispenses 400 C-fold or 525 multifold towels measuring 3 1/8" to 3 13/16" (79–97mm) deep without adjustment or adapter. Furnished with internal towel tray adapter kit for dispensing narrower towels 2 1/2" to 3 1/8" (64–79mm) deep. Cabinet slots indicate refill time. Patented.

B-4262	Unit	
	Inches	mm
Width	10 13/16	275
Height	13 1/4	335
Depth	4 11/16	120
Typical Mtg. Ht.	66–70	1675–1780
Barrier-Free Mtg. Ht.	52	1320



## CONTURA SERIES

### B-4362 RECESSED PAPER TOWEL DISPENSER

Satin-finish stainless steel. Flush tumbler lock. Dispenses 600 C-fold or 800 multifold towels. Patented.

B-4362	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	12 3/4	325	11 3/8	290
Height	28	710	26 1/2	675
Recess	3 15/16	100	4	102
Projection	1 7/16	35	N/A	
Typical Mtg. Ht.	78	1980	77	1955
Barrier-Free Mtg. Ht.	59 1/2	1510	58 1/2	1485



## TRIMLINE SERIES

### B-318 CONCEALED PAPER TOWEL DISPENSER

Satin-finish stainless steel. Dispenses 600 C-fold or 800 multifold towels. Towels load into bottom of cabinet concealed behind wall or mirror; only the towel tray is visible. Add 6" (150mm) to wall opening to provide minimum clearance space below towel tray. Add thickness of wall finish to wall opening depth.

B-318	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	11 7/16	290	12	305
Height	18	455	18 1/4	465
Recess	4 5/16	110	4 1/2	115
Typical Mtg. Ht.	68–73	1725–1885	68–73	1725–1855
Barrier-Free Mtg. Ht.	56 3/4	1440	56 3/4	1440



## TRIMLINE SERIES

### B-526 COUNTERTOP MOUNTED RECESSED PAPER TOWEL DISPENSER

Satin-finish stainless steel. Flange has 90° return. Towels load into top of dispenser. Dispenses 300 C-fold or multifold towels. Mounts in countertops 3/4" to 1 1/2" (10 to 38mm) thick. Housing below countertop to conceal dispenser is not included.

B-526	Unit		Countertop Opening	
	Inches	mm	Inches	mm
Width	12 3/4	325	12 3/4	310
Height	6	150	4 1/2	115
Recess	11 1/16	280	17	430
Projection	1/4	6	N/A	



## TRIMLINE SERIES

### B-35903 RECESSED PAPER TOWEL DISPENSER

Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 300 C-fold or 400 multifold towels.

B-35903	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	13	330	11 1/2	290
Height	18 15/16	480	17 1/4	440
Recess	3 5/8	90	3 3/4	95
Projection	9/16	14	N/A	
Typical Mtg. Ht.	67	1700	66	1675
Barrier-Free Mtg. Ht.	52	1320	51	1295



## CLASSIC SERIES

### B-262 SURFACE MOUNTED PAPER TOWEL DISPENSER

Satin-finish stainless steel. Dispenses 400 C-fold or 525 multifold towels measuring 3 1/8" to 3 13/16" (79–97mm) deep without adjustment or adapters. Door has tumbler lock and piano-hinge. Cabinet slots indicate refill time.

B-262	Unit	
	Inches	mm
Width	10 3/4	275
Height	14	355
Depth	4	100
Typical Mtg. Ht.	66–70	1675–1780
Barrier-Free Mtg. Ht.	54	1370

# PAPER TOWEL DISPENSERS



## CLASSIC SERIES

### B-2621 SURFACE MOUNTED PAPER TOWEL DISPENSER

Satin-finish stainless steel. Dispenses 200 C-fold or 275 multifold towels. Door has knob-latch.

B-2621	Unit	
	Inches	mm
Width	10 ¾	275
Height	7 ½	180
Depth	4	102
Typical Mtg. Ht.	58-62	1475-1575
Barrier-Free Mtg. Ht.	47	1195



## CLASSIC SERIES

### B-263 SURFACE MOUNTED PAPER TOWEL DISPENSER

Satin-finish stainless steel. Top of cabinet equipped with tumbler lock. Dispenses 400 single-fold towels. Cabinet slots indicate refill time.

B-263	Unit	
	Inches	mm
Width	12 ⅞	310
Height	7 ¼	185
Depth	6 ⅞	155
Typical Mtg. Ht.	66-70	1675-1780
Barrier-Free Mtg. Ht.	47	1195



## CLASSIC SERIES

### B-2860 SURFACE MOUNTED ROLL TOWEL DISPENSER

Satin-finish stainless steel. Lever-less pull towel mechanism dispenses 12" (305mm) length of economical, non-perforated, universal roll paper towels. Accommodates 8" (205mm) wide, up to 8" (205mm) diameter rolls, plus 3 ½" (90mm) diameter stub roll with automatic transfer. Pull force to operate 1.8 lbs (8.0N). Door has tumbler lock and piano-hinge. Cabinet slots indicate refill time. Patented.

B-2860	Unit	
	Inches	mm
Width	11 ¾	300
Height	15	380
Depth	9	230
Typical Mtg. Ht.	67-74	1700-1880
Barrier-Free Mtg. Ht.	60-66	1525-1675



## CLASSIC SERIES

### B-359 RECESSED PAPER TOWEL DISPENSER

Satin-finish stainless steel. Seamless beveled flange. Dispenses 350 C-fold or 475 multifold towels. Door equipped with full-length stainless steel piano-hinge at bottom; swings down for easy filling.

B-359	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	12 ¾	325	11 ¼	285
Height	17 ¾	435	15 ¾	395
Recess	4	102	4	102
Projection	¾	5	N/A	
Typical Mtg. Ht.	67	1700	66	1675
Barrier-Free Mtg. Ht.	52 ½	1335	57 ½	1310



# WASTE RECEPTACLES



## CONTURA SERIES

### B-277 SURFACE MOUNTED WASTE RECEPTACLE

Satin-finish stainless steel. Capacity: 12 <sup>3</sup>/<sub>4</sub>-gal. (48.3L). Top edges are hemmed and bottom of waste receptacle has recessed finger grip for safe handling. Clips secure furnished reusable vinyl liner. Patented.

B-277	Unit	
	Inches	mm
Width	15 <sup>1</sup> / <sub>8</sub>	385
Height	23	585
Depth	8 <sup>1</sup> / <sub>2</sub>	215
Typical Mounting Height	24–36	610–915



## CONTURA SERIES

### B-43644 RECESSED WASTE RECEPTACLE

Satin-finish stainless steel. Removable front panel for easy cleaning. Clips secure furnished reusable vinyl liner. Capacity: 12 <sup>3</sup>/<sub>4</sub>-gal. (48.3L). Patented.

B-43644	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	17 <sup>5</sup> / <sub>16</sub>	440	15 <sup>7</sup> / <sub>8</sub>	405
Height	27 <sup>3</sup> / <sub>4</sub>	705	26 <sup>1</sup> / <sub>4</sub>	665
Recess	3 <sup>7</sup> / <sub>8</sub>	100	4	102
Projection	5 <sup>1</sup> / <sub>8</sub>	130	N/A	
Typical Mounting Height	43–47	1090–1195	41–45	1040–1145



## TRIMLINE SERIES

### B-527 RECESSED COUNTERTOP WASTE-DISPOSAL DOOR

Satin-finish stainless steel. Door is self-closing. Flange has 90° return. Mounts in countertops <sup>3</sup>/<sub>4</sub>" to 1 <sup>1</sup>/<sub>2</sub>" (19 to 38mm) thick. 4 <sup>1</sup>/<sub>2</sub>" (115mm) minimum clearance below mounting surface is required. Waste receptacle and housing below countertop to conceal receptacle are not included.

B-527	Unit		Countertop Opening	
	Inches	mm	Inches	mm
Width	12 <sup>3</sup> / <sub>4</sub>	325	11 <sup>1</sup> / <sub>4</sub>	285
Height	6	150	4 <sup>1</sup> / <sub>2</sub>	115
Recess	2 <sup>1</sup> / <sub>16</sub>	52	4 <sup>1</sup> / <sub>2</sub>	115
Projection	<sup>1</sup> / <sub>4</sub>	6	N/A	
Typical Mounting Height	34	865	34	865



## TRIMLINE SERIES

### B-529 RECESSED CIRCULAR WASTE CHUTE

Rolled flange and exposed surfaces bright-polished stainless steel. Provides waste deposit access to receptacle (not furnished) placed under countertop.

B-529	Unit		Countertop Opening	
	Inches	mm	Inches	mm
Outer Dia.	6 <sup>15</sup> / <sub>16</sub>	175	N/A	
Inner Dia.	5 <sup>1</sup> / <sub>2</sub>	140	5 <sup>5</sup> / <sub>8</sub>	140
Recess	5	130	N/A	
Projection	<sup>7</sup> / <sub>16</sub>	11	N/A	
Typical Mounting Height	34	865	34	865



## NEW CLASSIC SERIES

### B-3644 RECESSED WASTE RECEPTACLE

Satin-finish stainless steel. Seamless beveled flange. Removable, 12-gal. (45.4-L) receptacle locks into cabinet. Hooks hold optional vinyl liner.

B-3644	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	17 <sup>3</sup> / <sub>16</sub>	435	16	405
Height	30 <sup>5</sup> / <sub>8</sub>	780	29 <sup>1</sup> / <sub>4</sub>	745
Recess	4	102	4	102
Projection	4 <sup>1</sup> / <sub>8</sub>	105	N/A	
Typical Mounting Height	43–47	1090–1195	42–46	1065–1170



## CLASSIC SERIES

### B-279 SURFACE MOUNTED WASTE RECEPTACLE

Satin-finish stainless steel. Bottom edges hemmed for maximum safety. Hooks hold furnished reusable vinyl liner; removable for servicing.

B-279	Unit	
	Inches	mm
Width	14	355
Height	18	455
Depth	6	150
Typical Mounting Height	30	760

# WASTE RECEPTACLES



## CLASSIC SERIES

### B-261 SURFACE MOUNTED FACIAL TISSUE WASTE RECEPTACLE

Satin-finish stainless steel. Bottom edges hemmed for maximum safety. Capacity: 1 ½-gal. (5.7-L).

B-261	Unit	
	Inches	mm
Width, Top	10 ½	265
Width, Bottom	8 ⅝	220
Height	9	230
Depth	4 ⅜	110
Typical Mounting Height	42	1065



## CLASSIC SERIES

### B-275 SURFACE MOUNTED WASTE RECEPTACLE

Satin-finish stainless steel. Bottom edges hemmed for maximum safety. Hooks hold furnished reusable vinyl liner; removable for servicing. Capacity: 20-gal. (75.7-L).

B-275	Unit	
	Inches	mm
Width	16 ½	420
Height	23	585
Depth	12 ½	320
Typical Mounting Height	35-39	890-990



## CLASSIC SERIES

### B-2250 FLOOR STANDING SWING-TOP WASTE RECEPTACLE

Satin-finish stainless steel. Top with self-closing doors. Vinyl wall bumper, rubber feet. Hooks for liners. Capacity: 13-gal. (49.2-L).

B-2250	Unit	
	Inches	mm
Width	12 ½	320
Height	29 ½	750
Depth	12 ½	320



# TOILET TISSUE DISPENSERS



## CONTURA SERIES

### B-4288 SURFACE MOUNTED MULTI-ROLL TOILET TISSUE DISPENSER

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Flush tumbler lock. Holds two rolls up to 5 1/4" (133mm) diameter (1800 sheets). Extra roll automatically drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles. Patented.

B-4288	Unit	
	Inches	mm
Width	6 1/16	155
Height	1.1	280
Depth	5 15/16	150
Typical Mtg. Ht.	28-36	710-915
Barrier-Free Mtg. Ht.	28	710



## CONTURA SERIES

### B-4388 RECESSED MULTI-ROLL TOILET TISSUE DISPENSER

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Flush tumbler lock. Holds two rolls up to 5 1/4" (133mm) diameter (1800 sheets). Extra roll automatically drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles. Patented.

B-4388	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	7 9/16	190	6 1/4	160
Height	12 1/2	320	11 1/4	285
Depth	3 3/16	80	3 1/4	85
Projection	2 3/4	70	N/A	
Typical Mtg. Ht.	28 3/4-36 3/4	730-935	28-36	710-915
Barrier-Free Mtg. Ht.	28 3/4	730	28	710



## CLASSIC SERIES

### B-2888 SURFACE MOUNTED MULTI-ROLL TOILET TISSUE DISPENSER

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Door has flat face with protruding tumbler lock. Holds two rolls up to 5 1/4" (133mm) diameter (1800 sheets). Extra roll automatically drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles. Patented.

B-2888	Unit	
	Inches	mm
Width	6 1/16	155
Height	1.1	280
Depth	5 15/16	150
Typical Mtg. Ht.	28-36	710-915
Barrier-Free Mtg. Ht.	28	710



## NEW CLASSIC SERIES

### B-3888 RECESSED MULTI-ROLL TOILET TISSUE DISPENSER

Satin-finish stainless steel unit with stainless steel dispensing mechanism. Door has flat face with protruding tumbler lock. Holds two rolls up to 5 1/4" (133mm) diameter (1800 sheets). Extra roll automatically drops in place when bottom roll is depleted. Theft-resistant, heavy-duty spindles. Patented.

B-3888	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	7 9/16	190	6 1/4	160
Height	12 1/2	320	11 1/4	285
Depth	3 3/16	80	3 1/4	85
Projection	2 3/4	70	N/A	
Typical Mtg. Ht.	28 3/4-36 3/4	730-935	28-36	710-915
Barrier-Free Mtg. Ht.	28 3/4	730	28	710



## CLASSIC SERIES

### B-272 SURFACE MOUNTED TOILET TISSUE CABINET

Satin-finish stainless steel. Equipped with tumbler lock; vandal-resistant. Dispenses either single- or doublefold toilet tissue. Large capacity: 1330 singlefold tissues. Slots in cabinet indicate refill time. May be refilled with full standard pack before dispenser is empty.

**B-2721** Similar to B-272, with larger cabinet.

Model No.	Unit			
	B-272		B-2721	
	Inches	mm	Inches	mm
Width	5	125	5 1/16	130
Height	8 15/16	225	9 1/16	230
Depth	3	75	4 5/16	110
Typical Mounting Height	28	710	28	710



**B-273**

## CLASSIC SERIES

### B-273 SURFACE MOUNTED TOILET TISSUE DISPENSER

Heavy-duty cast aluminum, satin finish. High-impact plastic spindles have concealed locking device; theft-resistant. Holds one roll up to 6" (150mm) diameter (2000 sheets). Controlled delivery.

**B-2730** Similar to B-273, with no controlled delivery.

**B-274** Similar to B-273, holds two rolls. Controlled delivery.

**B-2740** Similar to B-274, with no controlled delivery.

Model No.	Unit			
	B-273		B-274	
	Inches	mm	Inches	mm
Width	6 1/2	165	12 1/2	320
Height	1 1/2	40	1 1/2	40
Depth	4 7/8	125	4 7/8	125
Typical Mounting Height	19 3/4	500	19 3/4	500



**B-274**



# TOILET TISSUE DISPENSERS



## B-685 SURFACE MOUNTED TOILET TISSUE DISPENSER FOR SINGLE ROLL

Bright polished stainless steel. Support-arm flanges lock to concealed stainless steel wall plate. Chrome-plated plastic spindle holds rolls up to 5 1/2" (140mm) diameter (1800 sheets).

**B-6857** Similar to B-685, but with satin finish.

**B-7685** Similar to B-685.

**B-76857** Similar to B-7685, but with satin finish.

B-685	Unit	
	Inches	mm
Width	7 1/4	185
Height	2	50
Depth	3 15/16	100
Typical Mounting Height	19 3/4	500



## B-686 SURFACE MOUNTED TOILET TISSUE DISPENSER FOR TWO ROLLS

Bright polished stainless steel. Support arms lock to concealed stainless steel wall plate. Chrome-plated plastic spindle holds rolls up to 5 1/2" (140mm) diameter (1800 sheets).

**B-6867** Similar to B-686, but with satin finish.

**B-7686** Similar to B-686.

**B-76867** Similar to B-7686, but with satin finish.

B-686	Unit	
	Inches	mm
Width	12 1/2	320
Height	2	50
Depth	3 15/16	100
Typical Mounting Height	19 3/4	500



## B-6699 SURFACE MOUNTED TOILET TISSUE DISPENSER WITH HOOD

Bright polished stainless steel. Hood protects paper. Chrome-plated plastic spindle holds rolls up to 5 1/8" (130mm) diameter (1500 sheets).

**B-66997** Similar to B-6699, but with satin finish.

B-6699	Unit	
	Inches	mm
Width	6 3/16	155
Height	6 3/16	155
Depth	4 3/4	120
Typical Mounting Height	22	560



## B-6999 SURFACE MOUNTED TOILET TISSUE DISPENSER WITH HOOD FOR TWO ROLLS

Bright polished stainless steel. Hood protects paper. Chrome-plated plastic spindle holds rolls up to 5 1/8" (130mm) diameter (1500 sheets).

**B-69997** Similar to B-6999, but with satin finish.

B-6999	Unit	
	Inches	mm
Width	12 3/8	315
Height	6 3/16	155
Depth	4 3/4	120
Typical Mounting Height	22	560



## B-699 RECESSED TOILET TISSUE DISPENSER WITH HOOD FOR TWO ROLLS

Bright polished stainless steel. Hood protects paper. Chrome-plated plastic spindle holds rolls up to 5 1/8" (130mm) diameter (1500 sheets).

**B-6997** Similar to B-699, but with satin finish.

B-699	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	12 5/16	315	11 3/4	300
Height	6 3/16	155	5 1/4	135
Depth	1 7/8	50	3 3/8	85
Projection	2 3/4	70	N/A	
Typical Mounting Height	22	560	21 1/2	545



## B-2890 SURFACE MOUNTED SINGLE JUMBO-ROLL TOILET TISSUE DISPENSER

Satin finish stainless steel. Equipped with spring lock. Spindle holds one 10" (255mm) diameter roll with 3" (75mm) diameter core. Convertible for 2 11/16" (70mm) and 1 5/8" (40mm) diameter core rolls. Powder-coated mounting plate. Slot in door reveals tissue supply.

B-2890	Unit	
	Inches	mm
Diameter	10 5/8	270
Depth	4 1/2	115
Typical Mounting Height	29 1/2	750



## NEW B-2892 SURFACE MOUNTED TWIN JUMBO-ROLL TOILET TISSUE DISPENSER

Satin-finish stainless steel. Equipped with tumbler lock. Spindles hold two 10" (255mm) diameter rolls with 2 1/4" (55mm) diameter core rolls; convertible for 3" (75mm) diameter core rolls. Sliding access panel exposes one roll at a time, allows easy roll change-over. Wide viewing slot in door. Quick reloading. Patented.

B-2892	Unit	
	Inches	mm
Width	20 13/16	530
Height	11 3/8	290
Depth	5 5/16	135
Typical Mounting Height	30	760

# SANITARY NAPKIN DISPOSALS



## CONTURA SERIES

### B-270 SURFACE MOUNTED SANITARY NAPKIN DISPOSAL

Satin finish stainless steel. Cover is drawn, one-piece construction; secured to cabinet with full-length stainless steel piano-hinge. Patented.

B-270	Unit	
	Inches	mm
Width	7 1/2	190
Height	10	255
Depth	3 13/16	95
Typical Mounting Height	25-30	635-760



## CONTURA SERIES

### B-4353 RECESSED SANITARY NAPKIN DISPOSAL

Satin-finish stainless steel. Self-closing door pulls down for access to disposal. Furnished with removable, leak-proof, 1.2-gal. (4.6-L) plastic receptacle. Patented.

B-4353	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	12 3/4	325	11 1/4	285
Height	11	280	9 1/2	240
Depth	3 15/16	100	4	102
Projection	1 7/16	35	N/A	
Typical Mounting Height	31	785	30	760



## CONTURA SERIES

### B-4354 PARTITION MOUNTED SANITARY NAPKIN DISPOSAL

Satin-finish stainless steel. Mounts in toilet partition 1/2"-1 1/4" (13-32mm) thick. Self-closing doors pull down on both sides with less than 5 lb of force (22.2 N) for access to disposal. Removable, leak-proof, 0.7-gal. (2.7-L) plastic receptacle. Patented.

B-4354	Unit		Partition Opening	
	Inches	mm	Inches	mm
Width	12 3/4	325	11	280
Height	11	280	9 3/8	240
Partition Thickness	1/2-1 1/4	13-32	N/A	
Projection	1 1/2	38	N/A	
Typical Mounting Height	31	785	30	760



## TRIMLINE SERIES

### B-3513 RECESSED SANITARY NAPKIN DISPOSAL

Satin-finish stainless steel. Door has 90° return, conceals flange. Door pulls down to open. Removable, leak-proof, 0.6-gal. (2.3-L) plastic receptacle.

B-3513	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	8	205	6	150
Height	14 1/16	355	12	305
Depth	3 5/8	90	3 3/4	95
Projection	9/16	14	N/A	
Typical Mounting Height	31	785	30	760



## TRIMLINE SERIES

### B-35303 RECESSED SANITARY NAPKIN DISPOSAL

Satin-finish stainless steel. Door has 90° return, conceals flange. Self closing panel covers disposal opening. Removable, leak-proof, 1.2-gal. (4.6-L) plastic receptacle.

B-35303	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	13	330	11 1/2	290
Height	18 15/16	480	17 1/4	440
Depth	3 5/8	90	3 3/4	95
Projection	9/16	14	N/A	
Typical Mounting Height	31	785	30	760



## CLASSIC SERIES

### B-254 SURFACE MOUNTED SANITARY NAPKIN DISPOSAL

Satin-finish stainless steel. Door has tumbler lock. Self closing panel covers disposal opening. Removable, leak-proof, 1.2-gal. (4.6-L) plastic receptacle.

B-254	Unit	
	Inches	mm
Width	10 11/16	270
Height	15 1/8	385
Depth	4 1/16	105
Typical Mounting Height	30	760



# SANITARY NAPKIN DISPOSALS



## B-3541 SURFACE MOUNTED SANITARY DISPOSAL BAG DISPENSER

Satin-finish stainless steel. Equipped with concealed locking device. Concealed wall plate 22-gauge (0.8mm) type-304 stainless steel. Holds one pack of 50 two-ply plastic bags.

B-3541	Unit	
	Inches	mm
Width	3 ¾	95
Height	4 ⅛	105
Depth	1	25



## CLASSIC SERIES

### B-353 RECESSED SANITARY NAPKIN DISPOSAL

Satin-finish stainless steel. Seamless beveled flange. Door has tumbler lock. Self-closing panel covers disposal opening. Removable, leak-proof, 1.2-gal. (4.6-L) plastic receptacle.

B-353	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	12 ¾	325	11 ¼	285
Height	17 ¾	435	15 ⅝	395
Depth	3 15/16	100	4	102
Projection	⅛	3	N/A	
Typical Mounting Height	31	785	30	760




## CLASSIC SERIES


### B-354 PARTITION MOUNTED SANITARY NAPKIN DISPOSAL

Satin-finish stainless steel. Mounts in partitions ½"–1 ¼" (13–32mm) thick. Self-closing panels cover openings on both sides. Removable, leak proof, 1.2-gal. (4.6-L) plastic receptacle.

B-354	Unit		Partition Opening	
	Inches	mm	Inches	mm
Width	12 ¾	325	11	280
Height	17 ¾	435	15 ½	395
Partition Thickness	½–1 ¼	13–32	N/A	
Projection	2 13/16–3 9/16	71–90	N/A	
Typical Mtg. Ht.	31	785	30	760



# GRAB BARS



Clearance between wall and grab bar.

- Constructed of satin-finish stainless steel tubing in 1 1/4" and 1 1/2" (32 and 38mm) diameters; concealed or exposed mounting.
- Peened nonslip gripping surface available on all Series. Add suffix .99 to model number.
- Bar 18-gauge (1.2mm), type-304 stainless steel.
- Bar passes through flange and is heliarc welded to form single structural unit.
- Comply with structural strength requirements: grab bars that provide 1 1/2" (38mm) clearance from the wall can support loads in excess of 900 pounds (408kg) when properly installed.
- Mandrel bending process ensures uniform bar diameter around curves.
- All joints and supports are contour cut and welded.
- Concealed anchors and fasteners available as an optional accessory.

Series	Diameter	*Finish
*B-6806	1 1/2" (38mm)	Satin Finish
*B-5806	1 1/4" (32mm)	Satin Finish

\*Peened nonslip gripping surface available. Add suffix .99 to model number.



## CONCEALED MOUNTING

- Cover snaps over mounting flange to conceal screws.
- Concealed mounting flange 1/8" (3mm) thick, type-304 stainless steel plate, 2" wide x 3 1/8" high (50 x 80mm), with screw holes for concealed anchors.
- Cover is 22-gauge (0.8mm), type-304 stainless steel with satin finish, 3 1/4" (85mm) diameter.



### B-6806 STRAIGHT GRAB BAR

Satin-finish stainless steel grab bar for tub/shower/toilet compartment. Snap flange.

**B-6806.99** Satin-finish stainless steel grab bar with peened nonslip grip for tub/shower/toilet compartment. Snap flange.

Model No.	B-6806		B-6806.99	
	Inches	mm	Inches	mm
Diameter, Bar	1 1/2	38	1 1/2	38
Length	12	305	N/A	
	18	455	18	455
	24	610	24	610
	30	760	30	760
	36	915	36	915
	42	1065	42	1065
	48	1220	48	1220



### B-68616 TWO-WALL HORIZONTAL GRAB BAR

Satin-finish stainless steel grab bar for tub/shower/toilet compartment. Snap flange.

**B-68616.99** Satin-finish stainless steel grab bar with peened nonslip grip for tub/shower/toilet compartment. Snap flange.

B-68616 B-68616.99	Unit	
	Inches	mm
Diameter, Bar	1 1/2	38
Width	24	610
Length	36	915



### B-68137 TWO-WALL HORIZONTAL GRAB BAR


Satin-finish stainless steel grab bar for tub/shower/toilet compartment. Snap flange.

**B-68137.99** Satin-finish stainless steel grab bar with peened nonslip grip for tub/shower/toilet compartment. Snap flange.

B-68137 B-68137.99	Unit	
	Inches	mm
Diameter, Bar	1 1/2	38
Width	36	915
Length	54	1370



# GRAB BARS




## B-5806 STRAIGHT GRAB BAR

Satin-finish stainless steel grab bar for tub/shower/toilet compartment. Snap flange.

**B-5806.99** Satin-finish stainless steel grab bar with peened nonslip grip for tub/shower/toilet compartment. Snap flange.


B-5806 B-5806.99	Unit	
	Inches	mm
Diameter, Bar	1 ¼	32
Length	12	305
	18	455
	24	610
	30	760
	36	915
	42	1065
	48	1220



## B-5845 RIGHT-HANDED 40-DEGREE GRAB BAR

Satin-finish stainless steel grab bar for tub/shower/toilet compartment. 40° angle. Snap flange.

B-5845	Unit	
	Inches	mm
Diameter, Bar	1 ¼	32
Horizontal, Length	33 ½	850
40° Angle, Length	27 9/16	700



## B-5855 LEFT-HANDED 40-DEGREE GRAB BAR

Satin-finish stainless steel grab bar for tub/shower/toilet compartment. 40° angle. Snap flange.

B-5855	Unit	
	Inches	mm
Diameter, Bar	1 ¼	32
Horizontal, Length	33 ½	850
40° Angle, Length	27 9/16	700




## B-58616 TWO-WALL HORIZONTAL GRAB BAR

Satin-finish stainless steel grab bar for tub/shower/toilet compartment. Snap flange.

**B-58616.99** Satin-finish stainless steel grab bar with peened nonslip grip for tub/shower/toilet compartment. Snap flange.

B-58616 B-58616.99	Unit	
	Inches	mm
Diameter, Bar	1 ¼	32
Width	24	610
Length	36	915



## B-4998 WALL MOUNTED SWING UP GRAB BAR

Satin-finish stainless steel grab bar for tub/shower/toilet compartment. Exposed mounting. Patented.

**B-4998.99** Satin-finish stainless steel grab bar with peened nonslip grip for tub/shower/toilet compartment. Exposed mounting. Patented.

B-4998 B-4998.99	Unit	
	Inches	mm
Diameter, Bar	1 ¼	32
Length	29	735



# MIRRORS



**B-290 SERIES**

## B-290 SERIES FRAMED MIRRORS

One-piece roll formed frame is  $\frac{3}{4}$ " x  $\frac{3}{4}$ " (19 x 19mm), type-304 stainless steel angle with satin finish. Type-304 stainless steel provides superior corrosion resistance, compared to 400 Series stainless steel, against environmental moisture, hose-down maintenance and strong cleaning solutions. Corners are heliarc welded, ground and polished smooth. Beveled edges of frame hug mirror; provides gapless fit for improved appearance, and safety when cleaning mirror. No. 1 quality,  $\frac{1}{4}$ " (6mm) glass mirror electrolytically copper-plated; warranted against silver spoilage for 15 years. Mirror edges protected with plastic filler strips to prevent chipping; back is protected by  $\frac{3}{16}$ " (5mm) thick, water-resistant, polyethylene padding. Galvanized steel back attached to frame with concealed screws. Mirror secured to concealed wall hanger with theft-resistant locking device.

## SPECIAL-ORDER CUSTOM SIZE B-290 SERIES MIRRORS

Maximum size of one-piece mirror: 144" x 72" (366 x 183cm). Maximum frame size available: 186" x 72" (472 x 183cm) with two pieces of glass in one-piece frame furnished with I-section molding with polished stainless steel exposed finish covering seam where two pieces of glass butt together. Custom size mirrors lock to wall hanger with two concealed theft-resistant screws in bottom of frame. To specify special sizes, use Series Number followed by width and height in inches. For example: B-290 70 x 30 (178 x 76cm).

## SPECIAL-ORDER REFLECTIVE SURFACES

Polished Stainless Steel, Tempered and Laminated Glass Mirrors resist breakage and provide a measure of safety from broken glass, but differ in color and reflective quality from standard glass mirrors. Available on special order.

### Polished Stainless Steel

B-1656 Series Mirrors (up to 72" x 24"; 183 x 61cm)  
B-2906 Series Mirrors (up to 72" x 24"; 183 x 61cm)

### Tempered Glass

B-1658 Series Mirrors (up to 72" x 48"; 183 x 122cm)  
B-2908 Series Mirrors (up to 120" x 48"; 305 x 122cm)

### Laminated Glass

B-1659 Series Mirrors (up to 72" x 48"; 183 x 122cm)  
B-2909 Series Mirrors (up to 96" x 48"; 245 x 122cm)

## STANDARD STOCK SIZES B-290 SERIES MIRROR

Model No.	Width	Height	
<b>B-290 1824</b>	18"	24"	(46 x 61cm)
<b>B-290 1830</b>	18"	30"	(46 x 76cm)
<b>B-290 1836</b>	18"	36"	(46 x 91cm)
<b>B-290 2430</b>	24"	30"	(61 x 76cm)
<b>B-290 2436</b>	24"	36"	(61 x 91cm)
<b>B-290 2448</b>	24"	48"	(61 x 122cm)
<b>B-290 2460</b>	24"	60"	(61 x 152cm)
<b>B-290 2472</b>	24"	72"	(61 x 183cm)
<b>B-290 7236</b>	72"	36"	(183 x 91cm)

## NOTES

To specify mirrors, use Series Number desired followed by width and height in inches. Width dimension must always be stated first following Series Number.

B-165, B-166, B-280, B-290, B-293, and B-294 Series mirrors must be installed with width and height dimensions as ordered. Mirror back and wall hanger cannot be installed side ways to reverse width and height dimensions.

All Bobrick framed mirrors are manufactured to overall dimensions. Overall height of mirror/shelf models includes shelf.

## B-280 SERIES FRAMED MIRRORS

New one-piece roll formed frame is  $\frac{3}{4}$ " x  $\frac{3}{4}$ " (19 x 19mm), type-304 stainless steel angle with satin finish. Type-304 stainless steel provides superior corrosion resistance, compared to 400 Series stainless steel, against environmental moisture, hose-down maintenance and strong cleaning solutions. Corners are heliarc welded with exposed weld bead. Beveled edges of frame hug mirror; provides gapless fit for improved appearance, and safety when cleaning mirror. No. 1 quality,  $\frac{1}{4}$ " (6mm) glass mirror electrolytically copper-plated; warranted against silver spoilage for 10 years. Mirror edges protected with plastic filler strips to prevent chipping; back is protected by  $\frac{3}{16}$ " (5mm) thick, water-resistant, polyethylene padding. Galvanized steel back attached to frame with concealed screws. Mirror secured to concealed wall hanger with theft-resistant locking device.

## STANDARD STOCK SIZES B-280 SERIES MIRROR, STANDARD GLASS

Model No.	Width	Height	
<b>B-280 1824</b>	18"	24"	(46 x 61cm)
<b>B-280 1830</b>	18"	30"	(46 x 76cm)
<b>B-280 1836</b>	18"	36"	(46 x 91cm)
<b>B-280 2436</b>	24"	36"	(61 x 91cm)

## B-2808 SERIES FRAMED MIRRORS

Similar to B-280 Series, but with tempered glass mirror.

## STANDARD STOCK SIZES B-2808 SERIES MIRROR, TEMPERED GLASS

Model No.	Width	Height	
<b>B-2808 1824</b>	18"	24"	(46 x 61cm)
<b>B-2808 1830</b>	18"	30"	(46 x 76cm)
<b>B-2808 1836</b>	18"	36"	(46 x 91cm)
<b>B-2808 2436</b>	24"	36"	(61 x 91cm)

## B-290, B-280, AND B-166 SERIES MIRRORS

### CONCEALED WALL HANGER FOR THEFT-RESISTANT MOUNTING

Simplifies installation. Mirror is held flush to wall by integral brackets at top and bottom of mirror back. Back is constructed of galvanized steel. Concealed theft-resistant locking device secures mirror to wall hanger. Locking device may be unlocked and mirror removed from wall for reglazing. Note: Provide minimum  $\frac{3}{4}$ " (19mm) clearance at top of mirror for mounting on wall hanger and 1" (25mm) clearance on each side.

# MIRRORS



## B-165 SERIES FRAMED MIRRORS

One-piece channel frame is  $\frac{1}{2}$ " x  $\frac{1}{2}$ " x  $\frac{1}{2}$ " (13 x 13 x 13mm), type-430 stainless steel with bright polished finish and mitered corners. Phillips-head frame screw permits easy replacement of mirror. No. 1 quality,  $\frac{1}{4}$ " (6mm) glass mirror electrolytically copper-plated; warranted against silver spoilage for 10 years. Mirror corners and back protected by shock absorbing material. Galvanized steel back. Mirror secured to concealed wall hanger with theft-resistant locking device.

### STANDARD STOCK SIZES B-165 SERIES MIRROR

Model No.	Width	Height	
B-165 1624	16"	24"	(41 x 61cm)
B-165 1824	18"	24"	(46 x 61cm)
B-165 1830	18"	30"	(46 x 76cm)
B-165 1836	18"	36"	(46 x 91cm)
B-165 2430	24"	30"	(61 x 76cm)
B-165 2436	24"	36"	(61 x 91cm)
B-165 2448	24"	48"	(61 x 122cm)
B-165 2460	24"	60"	(61 x 152cm)
B-165 6036	60"	36"	(152 x 91cm)

## SPECIAL-ORDER CUSTOM SIZE MIRRORS

Maximum size mirror: 72" x 60" (183 x 152cm). Custom size mirrors locked to wall hanger with two concealed theft-resistant screws on bottom of mirror. To specify special sizes, use Series Number followed by width and height.

## B-166 SERIES MIRROR/SHELF COMBINATION


B-165 Stainless steel channel-frame mirror with one-piece type-304, satin-finish stainless steel shelf. Shelf projects 5" (127mm) and has  $\frac{3}{8}$ " (10mm) return edges on front and sides. Front return edge of shelf hemmed for maximum rigidity. Concealed 16-gauge (1.6mm) stainless steel brackets attach shelf to mirror frame.

### STANDARD STOCK SIZES B-166 SERIES MIRROR/SHELF

Model No.	Width	Height	
B-166 1824	18"	24"	(46 x 61cm)
B-166 1830	18"	30"	(46 x 76cm)
B-166 1836	18"	36"	(46 x 91cm)
B-166 2436	24"	36"	(61 x 91cm)

## SPECIAL-ORDER CUSTOM SIZE MIRRORS

Maximum size mirror: 24" x 60" (61 x 152cm). Maximum shelf length: 24" (61cm). Custom size mirrors locked to wall hanger with two concealed theft-resistant screws on bottom of mirror. To specify special sizes, use Series Number followed by width and height.



## B-293 SERIES TILT MIRRORS

Provide visibility for wheelchair patients. Frame is type-304 stainless steel, satin finish. Beveled edges of frame hug mirror; provides gapless fit for improved appearance, and safety when cleaning mirror. No. 1 quality,  $\frac{1}{4}$ " (6mm) glass mirror electrolytically copper plated. Mirror extends 4" (100mm) from wall at top and tapers to 1" (25mm) at bottom.

### STANDARD STOCK SIZES B-293 SERIES MIRROR

Model No.	Width	Height	
B-293 1630	16"	30"	(41 x 76cm)
B-293 1830	18"	30"	(46 x 76cm)
B-293 1836	18"	36"	(46 x 91cm)
B-293 2436	24"	36"	(61 x 91cm)

## SPECIAL-ORDER CUSTOM SIZE MIRRORS

Maximum size mirror: 36" x 48" (914 x 1219mm).

## B-294 SERIES TILTING MIRRORS

Tilt forward to provide full visibility for wheelchair patients or return to upright position. Frame is  $\frac{3}{4}$ " x  $\frac{3}{4}$ " (19 x 19mm), type-304 stainless steel angle, satin finish. Beveled edges of frame hug mirror; provides gapless fit for improved appearance, and safety when cleaning mirror. No. 1 quality,  $\frac{1}{4}$ " (6mm) glass mirror electrolytically copper-plated. Top of mirror tilts 7" (180mm) from wall with self-locking mechanisms; bottom of mirror mounts to wall with full-length stainless steel hinge.

### STANDARD STOCK SIZES B-294 SERIES MIRROR

Model No.	Width	Height	
B-294 1624	16"	24"	(41 x 61cm)
B-294 1630	16"	30"	(41 x 76cm)

## SPECIAL-ORDER CUSTOM SIZE MIRRORS

Maximum size mirror: 30" x 36" (762 x 914mm).

## BATHROOM ACCESSORIES



### **B-676 SURFACE MOUNTED TOWEL SHELF WITH TOWEL BAR**

Shelf 6 1/4" (160mm) wide, consists of four 5/16" (8mm) square tubes firmly mounted in support arms. 5/16" (8mm) square towel bar below shelf. 24" length (610mm). Projects 8 1/2" (215mm) from wall.



**B-7676** Similar to B-676. Shelf 6 1/4" (160mm) wide, consists of four 3/8" (10mm) round tubes mounted in support arms. 1/4" (6mm) round towel bar below shelf. Bright polished stainless steel. 24" length (610mm). Projects 8 1/4" (210mm) from wall.

**B-76767** Similar to B-7676, but with satin finish.

### **B-683 SURFACE MOUNTED TOILETRY SHELF**

Bright polished stainless steel. 24" length (610mm). Shelf 4 3/4" (120mm) wide, projects 5 3/4" (145mm) from wall. Edges are roll-formed for safety.



### **B-673 SURFACE MOUNTED TOWEL BAR**

3/4" (19mm) square towel bar. Bright polished stainless steel. Available in 18" and 24" lengths (455, 610mm). Projects 3 1/4" (85mm) from wall.



**B-6737** Similar to B-673, but with satin finish. 24" length (610mm).

**B-7673** Similar to B-673. Available in 18" and 24" lengths (455, 610mm).

**B-76737** Similar to B-7673, but with satin finish.

## BATHROOM ACCESSORIES



### B-674 SURFACE MOUNTED TOWEL BAR

Round  $\frac{3}{4}$ " (19mm) diameter towel bar. Bright polished stainless steel. Available in 18" and 24" lengths (455, 610mm). Projects  $3\frac{1}{4}$ " (85mm) from wall.

**B-6747** Similar to B-674, but with satin finish. 24" length (610mm).

**B-7674** Similar to B-674. Available in 18" and 24" lengths (455, 610mm).

**B-76747** Similar to B-674, but with satin finish.



### B-680 SURFACE MOUNTED SOAP DISH

Drawn, one-piece soap dish welded to support arm and flange. Two ridges to support bar of soap and two drain holes. Bright polished stainless steel. Unit  $4\frac{1}{2}$ " wide, 2" high (115 x 50mm); projects  $3\frac{3}{8}$ " (85mm) from wall.

**B-6807** Similar to B-680, but with satin finish.

**B-7680** Similar to B-680, but unit  $4\frac{1}{4}$ " wide, 2" high (110 x 50mm); projects  $4\frac{1}{8}$ " (105mm) from wall.

**B-76807** Similar to B-680, but with satin finish.



### B-681 SURFACE MOUNTED SOAP DISH AND BAR

Drawn, one-piece soap dish welded to support arm and flange. Two ridges to support bar of soap and two drain holes.  $\frac{3}{4}$ " (19mm) square bar  $8\frac{1}{2}$ " (215mm) long. Bright polished stainless steel. Unit 12" wide, 2" high (305 x 50mm); projects  $3\frac{3}{8}$ " (85mm) from wall.

**NEW**

**B-7681** Similar to B-681. Bar  $11\frac{1}{2}$ " (290mm) long. Unit  $14\frac{1}{2}$ " (370mm) wide; projects  $4\frac{1}{8}$ " (105mm) from wall.



### B-4390 RECESSED HEAVY-DUTY SOAP DISH AND BAR

Type-304 stainless steel, matte polished finish. Mounting clamp for stud walls.

**B-4380** Similar to B-4390, but without bar.

	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	$7\frac{3}{16}$	185	6	150
Height	5	125	4	102
Depth	$2\frac{5}{8}$	65	4	102
Projection	$1\frac{7}{16}$	35	N/A	
Typical Mounting Height	38-48	965-1220	$37\frac{3}{8}$ - $47\frac{3}{8}$	950-1205



### B-670 SURFACE MOUNTED UTILITY HOOK

For robes, shoe-shine cloth, and sanitary napkin disposal bag. Flange is 2" x 2" (50 x 50mm). Bright polished stainless steel. Hook  $\frac{1}{2}$ " (13mm) wide, projects 2" (50mm) from wall.

**B-6707** Similar to B-670, but with satin finish.



### B-671 SURFACE MOUNTED SINGLE ROBE HOOK

Flange is 2" x 2" (50 x 50mm). Bright polished stainless steel. Projects 2" (50mm) from wall.

**B-6717** Similar to B-671, but with satin finish.

**B-7671** Similar to B-671. Projects  $1\frac{5}{8}$ " (40mm) from wall.

**B-76717** Similar to B-671, but with satin finish.

# BATHROOM ACCESSORIES



## B-672 SURFACE MOUNTED DOUBLE ROBE HOOK

Contoured 4" (100mm) wide bar forms hook at each end. Flange is 2" x 2" (50 x 50mm). Bright polished stainless steel. Projects 2 5/16" (60mm) from wall.

**B-6727** Similar to B-672, but with satin finish.

**B-7672** Similar to B-672. Projects 1 7/8" (50mm) from wall.

**B-76727** Similar to B-7672, but with satin finish.



**B-682**

**B-7682**

## B-682 SURFACE MOUNTED HAT AND COAT HOOK

Flange is 2" x 2" (50 x 50mm). Bright polished stainless steel. Hook 1" wide, 6 1/2" high (25 x 165mm); projects 3 1/16" (80mm) from wall.

**B-6827** Similar to B-682, but with satin finish.

**B-7682** Similar to B-682. Hook 7 1/4" (185mm) high; projects 2 3/4" (70mm) from wall.

**B-76827** Similar to B-7682, but with satin finish.



## B-677 SURFACE MOUNTED TOWEL PIN

Flange is 2" x 2" (50 x 50mm). Bright polished stainless steel. Projects 3 3/8" (85mm) from wall.

**B-6777** Similar to B-677, but with satin finish.



## B-211 SURFACE MOUNTED HEAVY-DUTY CLOTHES HOOK WITH EXPOSED MOUNTING

Hook and flange are one-piece brass casting with satin nickel-plated finish to match stainless steel. With three exposed countersunk mounting screw holes. Withstands 300-lb (136-kg) downward pull.

**B-2116** Similar to B-211, but with three concealed mounting screw holes. Locks to wall plate with three stainless steel setscrews for theft-resistant mounting.

B-211	Unit	
	Inches	mm
Diameter	2 3/4	70
Projection	3 7/16	85
Typical Mounting Height	38-40	965-1220



## B-212 SURFACE MOUNTED CLOTHES HOOK AND BUMPER

Solid aluminum casting, matte finish. Rubber bumper protects wall or partition surfaces.

B-212	Unit	
	Inches	mm
Width	1 1/2	40
Height	2	50
Projection	3 3/4	95
Typical Mounting Height	38-40	965-1220



## B-233 SURFACE MOUNTED CLOTHES HOOK

11-gauge (3.2mm), type-304 stainless steel, satin finish.

B-233	Unit	
	Inches	mm
Width	1 1/4	30
Height	2 1/4	55
Projection	1 1/8	30
Typical Mounting Height	38-40	965-1220



## BATHROOM ACCESSORIES

### CLASSIC SERIES



#### **B-6047 SURFACE MOUNTED EXTRA-HEAVY-DUTY SHOWER CURTAIN ROD**

Type-304 stainless steel, satin finish rod and flanges. 18-gauge (1.2mm), 1 1/4" (32mm) diameter rod. Flanges are 2 1/2" (65mm) square. Available in 36" (915mm), 48" (1220mm), 60" (1525mm), 72" (1830mm) lengths.

### CLASSIC SERIES



#### **B-6107 SURFACE MOUNTED HEAVY-DUTY SHOWER CURTAIN ROD**

Type-304 stainless steel, satin finish rod and flanges. 20-gauge (1.0mm), 1" (25mm) diameter rod. Flanges are 2 1/2" (65mm) square. Available in 36" (915mm), 48" (1220mm), 60" (1525mm), 72" (1830mm) lengths.

### CLASSIC SERIES



#### **B-207 SURFACE MOUNTED SHOWER CURTAIN ROD WITH CONCEALED MOUNTING**

Type-304 stainless steel, satin finish 20-gauge (1.0mm), 1" (25mm) diameter rod. Flanges are 1 3/8" (35mm) diameter, chrome-plated plastic, bright polished finish; mount on concealed wall brackets. Available in 36" (915mm), 48" (1220mm), 60" (1525mm), 72" (1830mm) lengths.



#### **204-2 VINYL SHOWER CURTAIN**

Opaque, matte white vinyl, 0.008" (0.2mm) thick, contains antibacterial and flame-retardant agents. Nickel-plated brass grommets along top, one every 6" (150mm). Bottom and sides are hemmed. Hooks are not included. Curtain 42" wide, 72" high (1065 x 1830mm). Requires 7 hooks.


**204-3** Similar to 204-2, but curtain is 70" wide, 72" high (1780 x 1830mm). Requires 12 hooks.

**204-1 SHOWER CURTAIN HOOK** Type-304 stainless steel for use on 1" and 1 1/4" (25 and 32mm) diameter shower curtain rods.



#### **B-636 SURFACE MOUNTED RETRACTABLE CLOTHESLINE**

Installs over bathtub or in shower. 8-ft (244cm) clothesline pulls out for convenient use; retracts neatly out of way. Retainer bracket mounts on opposite wall to secure clothesline. Cover and retainer bracket are bright polished stainless steel. Unit 3 5/8" x 3 5/8" (90 x 90mm); projects 1 1/4" (30mm) from wall. Typical Mounting Height: 70" (1780mm) to top of unit; Barrier-Free Mounting Height 38-48" (965-1220mm).



#### **B-7636 SURFACE MOUNTED RETRACTABLE CLOTHESLINE**

Budget-priced model installs over bathtub or in shower. 10-ft (305cm) clothesline pulls out for convenient use; retracts neatly out of way. Locking knob on cover secures line. Retainer bracket mounts on opposite wall to secure clothesline. Cover and retainer bracket are bright polished stainless steel. Unit 3 5/8" (90mm) diameter; projects 1 5/32" (30mm) from wall. Typical Mounting Height: 70" (1780mm) to top of unit; Barrier-Free Mounting Height 38-48" (965-1220mm).

## BATHROOM ACCESSORIES



### B-5181 SURFACE MOUNTED REVERSIBLE FOLDING SHOWER SEAT

Meets the needs of the physically disabled and elderly. Seat is constructed of durable, water-resistant, ivory-colored,  $\frac{1}{2}$ " (13mm) thick solid phenolic. Reversible for left- or right-hand field installation. Frame and mounting brackets are type-304 stainless steel with self-locking mechanism. Supports up to 400 lb (181 kg) when properly installed. Left-handed seat shown.

B-5181	Unit	
	Inches	mm
Width	33	840
Depth	22 $\frac{5}{16}$	565
Typical Mounting Height	17-20	430-510



### B-5191 SURFACE MOUNTED FOLDING SHOWER SEAT

Compact design. Seat is constructed of durable, water-resistant, ivory-colored,  $\frac{5}{16}$ " (8mm) thick solid phenolic. Frame and mounting bracket are type-304 stainless steel and feature self-locking mechanism. Supports up to 500 lb (227 kg) when properly installed.

B-5191	Unit	
	Inches	mm
Width	18	455
Depth	15 $\frac{13}{16}$	400
Typical Mounting Height	17-20	430-510



### B-5891 SURFACE MOUNTED BAR WITH BACK REST

Satin-finish stainless steel bar with back rest. Snap flange. Back rest is  $\frac{1}{2}$ " (6.4mm) thick solid phenolic with matte-finish melamine surfaces, white colored face sheets, and black core; polished black edges.

**B-5891.99** Satin-finish stainless steel bar with back rest with peened nonslip grip. Snap flange. Back rest is  $\frac{1}{2}$ " (6.4mm) thick solid phenolic with matte-finish melamine surfaces, white colored face sheets, and black core; polished black edges.

B-5891	Unit	
	Inches	mm
Diameter, Bar	1 $\frac{1}{4}$	32
Length, Bar	16	405
Height, Flange	3 $\frac{1}{4}$	85
Width, Back rest	10	255
Height, Back Rest	4	102
Projection	10	255



### B-240 SURFACE MOUNTED STAINLESS STEEL ASHTRAY

Satin finish stainless steel. For installation in washrooms above countertops, in toilet compartments, and alongside urinals. Can also be mounted in hallway and lobby areas where space is limited. Ashtray flips over for emptying without removal from frame.

B-240	Unit	
	Inches	mm
Width	5	125
Height	1 $\frac{1}{2}$	40
Depth	3 $\frac{7}{8}$	100
Typical Mounting Height	38-48	965-1220



### B-287 SURFACE MOUNTED FOLDING UTILITY SHELF

Easily installed on toilet partition or wall. Type-304 stainless steel, satin finish. Pull-down shelf returns to upright position when not in use.

B-287	Unit	
	Inches	mm
Length, Shelf	14 $\frac{1}{2}$	370
Width, Shelf	5 $\frac{3}{4}$	145



### B-687 SURFACE MOUNTED DOOR BUMPER

Flange is 2" x 2" (50 x 50mm). Bright polished stainless steel. Black nylon post with black neoprene bumper. Projects 2  $\frac{1}{8}$ " (55mm) from wall.

## BATHROOM ACCESSORIES



### B-297 SURFACE MOUNTED MEDICINE CABINET

All-steel cabinet and two fixed shelves with baked white enamel finish. Mirror: No. 1 quality, 1/8" (3mm) glass electrolytically copper-plated. Door has enameled steel piano-hinge and magnetic catch.

**B-397 RECESSED MEDICINE CABINET** All-steel cabinet with baked white enamel finish. Three adjustable plastic shelves. Mirror: No. 1 quality, 1/4" (6mm) glass electrolytically copper-plated. Door has enameled steel piano-hinge and magnetic catch.

Model No.	Unit				Wall Opening	
	B-297		B-397		B-397	
	Inches	mm	Inches	mm	Inches	mm
Width	14 1/8	360	15 7/8	405	14	355
Height	20 1/4	515	25 7/8	655	23 5/8	600
Depth	3 3/4	95	3 1/4	85	3 1/2	90
Projection	N/A		1	25	N/A	
Typical Mounting Height	69	1755	73	1855	72	1630
Barrier-Free Mounting Height	60	1625	65 1/2	1665	64 1/2	1640



### B-299 SURFACE MOUNTED MEDICINE CABINET

Type-304 stainless steel, satin finish. Mirror: No. 1 Quality, 1/4" (6mm) glass electrolytically copper-plated. 15-year guarantee against silver spoilage. Door has full-length stainless steel piano-hinge, magnetic catch and cable doorstop. Four adjustable stainless steel shelves. Cabinet may be inverted for right- or left-hand door swing.

**B-398 RECESSED MEDICINE CABINET** Similar to B-299 for recessed installation.

Model No.	Unit				Wall Opening	
	B-299		B-398		B-398	
	Inches	mm	Inches	mm	Inches	mm
Width	17	430	17	430	15 1/2	305
Height	26 7/8	685	26 7/8	685	25 1/2	650
Depth	5	130	3 1/2	90	3 5/8	95
Projection	N/A		1 11/16	45	N/A	
Typical Mounting Height	74	1880	74	1880	73 1/2	1865
Barrier-Free Mounting Height	66 1/2	1690	66 1/2	1690	66	1675



### B-8397 SURFACE MOUNTED FACIAL TISSUE DISPENSER

Cabinet type-304 stainless steel, satin finish. Equipped with concealed locking device; opens with key provided. Concealed wall plate is 22-gauge (0.8mm), type-304 stainless steel. Dispenses one pack of 100 two-ply facial tissues.

B-8397	Unit	
	Inches	mm
Width	10 1/4	260
Height	5 3/16	130
Depth	2 1/4	55



### B-355 RECESSED FACIAL TISSUE DISPENSER

Faceplate type-304 stainless steel, satin finish. Galvanized-steel mounting cabinet. Dispenses 300 two-ply facial tissues.

B-355	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	11 7/8	300	10 3/4	275
Height	6 1/8	155	5 1/4	135
Recess	3 15/16	100	4	102
Projection	3/16	5	N/A	



### 805355 TOILET BRUSH HOLDER

Heavy-duty type-304 stainless steel, satin finish. Can be wall-mounted or floor standing. Durable nylon brush included.

805355	Unit	
	Inches	mm
Width	5 1/4	135
Height	10 1/4	260
Depth	5 1/2	140



**WARM AIR HAND/HAIR DRYERS FROM THE DRYER COMPANY™**

Choose from a comprehensive line of models designed and engineered for all building types and washroom environment needs, including vandal-resistant requirements.



**B-740 ECLIPSE™ SURFACE MOUNTED HAND DRYER**

Contemporary styling; durable, drawn steel white vitreous enamel cover. Automatic hand sensor. 10-year limited warranty.

B-740	Unit	
	Inches	mm
Width	15 1/16	385
Height	8 7/8	225
Depth	7 9/16	190



**B-748 ECLIPSE™ SURFACE MOUNTED HAND DRYER**

Contemporary styling, durable, drawn steel bright polished chrome-plated cover. Automatic hand sensor. 10-year limited warranty.

B-748	Unit	
	Inches	mm
Width	15 1/16	385
Height	8 7/8	225
Depth	7 9/16	190



**B-715/B-715E ELAN™ SURFACE MOUNTED HAND DRYER**

Contemporary styling; satin-finish type-304 stainless steel cover. Automatic hand sensor. 5-year limited warranty.

B-715 B-715E	Unit	
	Inches	mm
Width	11 5/8	295
Height	11	280
Depth	5 9/16	140



**B-700 AIRCRAFT® SURFACE MOUNTED HAND DRYER**

Cast-iron with vitreous enamel finish cover. Automatic hand sensor. 10-year warranty.

B-700	Unit	
	Inches	mm
Width	13 3/4	350
Height	10 3/8	265
Depth	7 1/4	185



# WARM-AIR HAND DRYERS



## B-750 AIRCRAFT® RECESSED HAND DRYER

Cast-iron with white vitreous enamel finish cover. Automatic hand sensor. 10-year limited warranty.

B-750	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	15 ¼	385	13 ¾	350
Height	11 7/8	300	9 ½	240
Depth	3 9/16	90	3 ¾	95
Projection	4	102	N/A	



## B-709 AIRPRO™ SURFACE MOUNTED HAND DRYER

Durable cast aluminum white painted cover. Automatic hand sensor. 5-year limited warranty.

B-709	Unit	
	Inches	mm
Width	13 ¾	335
Height	10 5/16	260
Depth	7 ½	190



## B-705/B-705E CUB™ SURFACE MOUNTED HAND DRYER

One-piece white molded plastic cover. Automatic hand sensor. 1-year limited warranty.

B-705 B-705E	Unit	
	Inches	mm
Width	9 5/8	245
Height	11 1/8	285
Depth	5 7/16	140



## B-710/B-710E COMPAC™ SURFACE MOUNTED HAND DRYER

Contemporary styling. Hand dryer with one-piece grey-molded plastic cover. Automatic hand sensor. 1-year limited warranty.

B-710 B-710E	Unit	
	Inches	mm
Width	10 13/16	275
Height	10 15/16	280
Depth	5 3/16	130

### ELECTRICAL SPECIFICATIONS

**B-700** **115V AC**, 20 Amp, 2400 Watts, 50/60 Hz  
All models UL and c-UL listed.  
**B-750** **208-240V AC**, 9-10 Amp, 1900-2400 Watts, 50/60 Hz  
**B-709** All models UL, c-UL listed, VDE approved and with CE marking.

**B-705** **115V AC**, 13 Amp, 1035 Watts, 60 Hz  
UL and c-UL listed.

**B-705E** **220-240V AC**, 6 Amp, 1300-1500 Watts, 50/60 Hz  
VDE approved and with CE marking.

**B-710** **115V AC**, 15 Amp, 1725 Watts, 60 Hz  
**B-715** UL and c-UL listed.

**B-710E** **220-240V AC**, 7 Amp, 1500-1700 Watts, 50/60 Hz  
**B-715E** VDE approved and with CE marking.

**B-740** **115V AC**, 20 Amp, 2300 Watts, 50/60 Hz  
All models UL, c-UL listed, VDE approved and with CE marking.  
**B-748** **208-240V AC**, 9-10 Amp, 1900-2400 Watts, 50/60 Hz  
All models UL, c-UL listed, VDE approved and with CE marking.

**HOW TO ORDER:** Specify voltage by adding **115V** or **230V** following model number. Example **B-700 115V**.

Note: Models B-705 and B-710 are not designed for vandal-prone installations. For vandal-prone installations, use Bobrick B-700 or B-750 Aircraft dryers with cast-iron vitreous enamel finished cover, or B-740 Eclipse dryer with drawn steel, vitreous enamel finished cover.

### INSTALLATION NOTE:

Bobrick automatic hand dryers should be installed 15" (380mm) above any projection or horizontal surface which may interfere with the operation of the automatic sensor.



# CHILD ACCOMMODATION PRODUCTS



**NEW**  
**KOALA KARE™ PRODUCTS**

**KB110-SSRE HORIZONTAL, RECESSED**  
**BABY CHANGING STATION**

Satin stainless steel exterior finish with grey polyethylene interior. Smooth concave changing bed with safety straps, integral liner dispenser, diaper-bag hooks, and molded instructions. Supports static load of 400 lbs (182 kilos). Patented.

Liners sold separately.

KB110-SSRE	Unit		Wall Opening	
	Inches	mm	Inches	mm
Width	37	940	35 ½	900
Height	23	585	20 ½	520
Depth	4	102	4	102
Projection, Closed	¾	20	N/A	
Projection, Open	16	405	N/A	
Typical Mtg. Ht.	49	1245	48	1220



**NEW**  
**KOALA KARE™ PRODUCTS**

**KB110-SSWM HORIZONTAL, SURFACE MOUNTED**  
**BABY CHANGING STATION**

Satin stainless steel exterior finish with grey polyethylene interior. Smooth concave changing bed with safety straps, integral liner dispenser, diaper-bag hooks, and molded instructions. Supports static load of 400 lbs (182 kilos). Patented.

Liners sold separately.

KB110-SSWM	Unit	
	Inches	mm
Width	35	890
Height	20	510
Projection, Closed	4	100
Projection, Open	19 ½	495
Typical Mtg. Ht.	48	1220



**NEW**  
**KOALA KARE™ PRODUCTS**

**KB100-00 HORIZONTAL, SURFACE MOUNTED**  
**BABY CHANGING STATION**

Polyethylene, cream. Smooth concave changing bed with safety straps, integral liner dispenser, diaper-bag hooks, and molded instructions including Braille. Supports static load of 400 lbs (182 kilos). Patented.

Liners sold separately.

KB100-00	Unit	
	Inches	mm
Width	35	890
Height	20	510
Projection, Closed	4	100
Projection, Open	19 ½	495
Typical Mtg. Ht.	48	1220



**NEW**  
**KOALA KARE™ PRODUCTS**

**KB101-00 VERTICAL, SURFACE MOUNTED**  
**BABY CHANGING STATION**

Polyethylene, cream. Smooth concave changing bed with safety straps, integral liner dispenser, diaper-bag hooks, and molded instructions including Braille. Supports static load of 400 lbs (182 kilos). Patented.

Liners sold separately.

KB101-00	Unit	
	Inches	mm
Width	22	560
Height	35 ½	900
Projection, Closed	5 ½	140
Projection, Open	35	890
Typical Mtg. Ht.	62	1575



**NEW**  
**KOALA KARE™ PRODUCTS**

**KB102-00 SURFACE MOUNTED**  
**CHILD PROTECTION SEAT**

Polyethylene, cream. Mounts on wall or partition of toilet compartment. Contoured seat with textured surface. Safety straps extend over child's shoulders and between legs for security. Supports static load of 150 lbs (68 kilos). Patented.

KB102-00	Unit	
	Inches	mm
Width	12	305
Height	19	485
Projection, Closed	5 ¾	145
Projection, Open	12 ½	320
Typical Mtg. Ht.	Bottom of unit 2" (50mm) above bottom of partition panel; or 14" (355mm) above floor.	



**NEW**  
**KOALA KARE™ PRODUCTS**

**KB150-99 BABY CHANGING STATION BED LINERS**

Disposable liners for use with Baby Changing Stations above. Large 13" x 19" (330mm x 485mm) 3-ply biodegradable, 500 liners per case.



Koala Bear Kare® is a registered trademark of Bobrick Washroom Equipment, Inc.

# BOBRICK PRODUCT WARRANTIES AND LIMITATIONS

## Product Warranties

The following Bobrick products are warranted to be free from defects in workmanship and material under normal usage from the date of purchase for the periods set forth below. (Rust and discoloration to stainless steel parts resulting from exposure to harsh environmental and/or chemical conditions are not considered to be defects in workmanship or material and there is no express or implied warranty for such condition. Refer to Bobrick Advisory Bulletin TB-21, Effective Ways to Clean Stainless Steel.):

Washroom Accessories/Soap Dispensers	Limited Warranty
Contura™ Series Washroom Accessories	3 years
Soap Dispensers B-306, B-4063, B-4112, B-822 Series	3 years

The following Bobrick mirrors are warranted against silver spoilage from the date of purchase for the periods set forth below:

Mirrors	Limited Warranty
B-290 Series	15 years
B-280 Series	10 years
B-165, B-166 Series	10 years

The following Bobrick hand dryers are warranted to be free from defects in workmanship and material under normal usage from the date of purchase for the periods set forth below:

Hand Dryers	Limited Warranty
AirCraft® Dryers B-700, B-750	Motor brushes for 3 years; all other parts for 10 years
Eclipse™ Dryers B-740, B-748	Motor brushes for 3 years; all other parts for 10 years
AirPro™ B-709	Motor brushes for 3 years; all other parts for 5 years
Elan® B-715, B-715E	5 years
Compac™ B-710, B-710E	1 year
Cub™ B-705, B-705E	1 year

The following Koala Kare™ products are warranted to be free from defects in workmanship and material under normal usage, and a replacement policy against vandalism from the date of purchase for the periods is set forth below:

Koala Kare™ Product	Limited Warranty
Baby Changing Stations KB100-00, KB101-00, KB110-SSRE, KB110-SSWM	5 years
Child Protection Seat KB102-00	5 years

## Other Products

Bobrick washroom accessories not listed above are warranted to be free from defects in workmanship and material under normal usage service for one year from the date of purchase. (Rust and discoloration to stainless steel parts resulting from exposure to harsh environmental and/or chemical conditions are not considered to be defects in workmanship or material and there is no express or implied warranty provided for such condition. Refer to Bobrick Advisory Bulletin TB-21, Effective Ways to Clean Stainless Steel.)

## Limitations on Warranties

In all instances, the purchaser's exclusive remedy against Bobrick is for the repair or replacement, at Bobrick's option, of warranted defective products or parts. Bobrick will also bear the cost of the purchaser's return of defective products or parts to Bobrick. Bobrick's warranties set forth above do not cover damage resulting from vandalism except as noted. No other remedy (including, but not limited to, damages for field labor charges, lost profits, lost sales, injury to persons or property or any other incidental or consequential losses) is available.

## Patent Numbers

Bobrick products are protected under one or more of the following Patent Numbers: **Australia:** 759452, 755057, 650604, 645627, 119406, 117107, 116931, 116887, 116057, 116056, 115075; **Austria:** 23857; **Benelux:** 27802-00; **Brazil:** DI 5802183-3, DI 5800409-2, DI 5800408-4, DI 5800274-0; **Canada:** 2336013, 2309470, 2229760, 2052959, 1528776, 1296148, 91501, 85550, 85356, 85191, 84372, 84371, 84370; **China:** 9700489.9, 9700489.7, 9700489.1, 9700487.7, 9700486.5; **Denmark:** 03201997; **France:** 916396, 460661/2/3; **Germany:** M9802686.0, M9802677.1, M9610230, M9303824.0, M9207892.3, M9207590.8, M9207589.4, M9106618.2; **Ireland:** D.11545; **Israel:** 142392; **Italy:** 76451, 72540, 67001, 66879, 66877, 64502; **Japan:** 945171, 892856; **Mexico:** 7414271, 229103, 224638, 223121, 223120, 180535, 176170, 170289, 13915, 11286, 11285, 6833, 6270, 6071, 6021, 5966, 5965, 5787; **Norway:** 73788; **Singapore:** 89390, 78210, DU2003/563, DU2003/11/B, DU2003/10/F; **South Korea:** 335/93, **Spain:** 9202381/92060535, 138768/5, 130441/0, 129187/4, 129186/6, 128865, 126641; **Sweden:** 62468; **Switzerland:** 670040-8, 123806, 120159, 119400; **Taiwan:** ND41344; **United Kingdom:** 2264285, 2060946, 2031213, 2026406, 2026390, 2022641, 2022640, 2003959, 2003958, 530419; **United States:** 6502721, 6276027, 6269503, 6131771, 6129245, 6119901, 6032819, 5988451, 5987677, 5927805, 5906015, 5887762, 5871113, 5605265, 5476197, 5470039, 5377908, 5332286, 5261619, 5226625, 5167345, 4971343, 4964544, 4949877, 4908906, 4834404, 2073867, 2073866, D459131, D441139, D438344, D426412, D425253, D420764, D415857, D413419, D401708, D401093, D388578, D387590, D387583, D387229, D386027, D385445, D381818, D376920, D365449, D349649, D342177, D342175, D341724, D340375, D340374, D338361, D334266, D333923, D333410, D332889, D332849, D332679, D332542, D332370, D332369, D332368, D332366, D332365, D332196, D332195, D332194, D326581. Other patents pending.

Illustrations and descriptions herein are applicable to production as of the date of this catalog. The manufacturer reserves the right and does from time to time make changes and improvements in designs and dimensions. Catalog No. IWAE06, 8M. May 2006. © 2006 Bobrick Washroom Equipment, Inc. Printed in U.S.A.



# Stainless Steel Washroom Accessories



BUILDING VALUE SINCE 1906

## Bobrick Washroom Equipment

**COUNTRY**  
Australia  
Germany  
United Kingdom  
Other Countries

**TEL. No.**  
1800-353158  
0800 79 00 456  
+44 (0)20 8366 1771  
+1 (818) 764-1000

**FAX No.**  
1800-221926  
0800 79 00 789  
+44 (0)20 8363 5794  
+1 (818) 503-9941

**Email**  
international@bobrick.com  
info@bobrick.de  
uksales@bobrick.com  
international@bobrick.com

LOCAL BOBRICK REPRESENTATIVE/DISTRIBUTOR

May 2006